

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10820543

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Thursday
Date: 8/31/2006
Time: 13:35:09

 **PALM INTRANET**

Inventor Information for 10/820543

Inventor Name	City	State/Country
EDIRISURIYA, DESHITHA AIRAWANA	AUCKLAND	NEW ZEALAND
BALDWIN, DAVID PETER	CHRISTHCHURCH 4	NEW ZEALAND
LAURENT, KRISTOPHER POH MING	AUCKLAND	NEW ZEALAND

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)

Search Another: Application#

[Search](#)

or Patent#

[Search](#)

PCT / /

[Search](#)

or PG PUBS #

[Search](#)

Attorney Docket #

[Search](#)

Bar Code #

[Search](#)

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060165829 A1	20060727	Conduits and method of forming	425/113		Smith; Daniel John et al.
US 20060162726 A1	20060727	Apparatus for reinforcing a breathing circuit component	128/203.16	128/203.17; 128/203.26; 128/203.27; 128/204.17	Smith; Daniel John et al.
US 20060100795 A1	20060511	METHOD OF REGULATING RESISTANCE IN A DISCONTINUOUS TIME HOT-WIRE ANEMOMETER	702/35		Hagan; Tobin D. et al.
US 20060096395 A1	20060511	High precision gas bearing split-axis stage for transport and constraint of large flat flexible media during processing	73/865.9	73/865.8	Weiss; Adam et al.
US 20060071694 A1	20060406	VERSATILE SYSTEM FOR OUTPUT ENERGY LIMITING CIRCUITRY	327/112		Maclean; Kenneth G. et al.
US 20050248895 A1	20051110	System and method for determining thermal shutdown characteristics	361/103		MacLean, Kenneth George et al.
US 20050220416 A1	20051006	Method for forming an aligned optical sub-assembly	385/52		Baldwin, David Alan et al.
US 20050206437 A1	20050922	Pre-regulator with reverse current blocking	327/427		Baldwin, David J. et al.
US 20050200341 A1	20050915	MULTIPLE MODE SWITCHING REGULATOR HAVING AN AUTOMATIC SENSOR CIRCUIT FOR POWER REDUCTION	323/282		Kohout, James A. et al.

US 20050179056 A1	20050818	System for resonant circuit tuning	257/200		Teggatz, Ross E. et al.
US 20050140437 A1	20050630	Bias system and method	330/136		Maclean, Kenneth George et al.
US 20050140315 A1	20050630	Current control device for driving LED devices	315/308	315/291	Baldwin, David J. et al.
US 20050134118 A1	20050623	System and method for driving one or more loads	307/33		Blackall, Eric C. et al.
US 20050132803 A1	20050623	Low cost integrated MEMS hybrid	73/514.32		Baldwin, David J. et al.
US 20050130603 A1	20050616	Low noise transceiver	455/78	455/73	Maclean, Kenneth George et al.
US 20050077005 A1	20050414	Method for fabricating electro-optic light modulator	156/286	156/145; 156/285; 349/187; 349/199; 349/86	Chen, Xianhai et al.
US 20050040338 A1	20050224	High precision gas bearing split-axis stage for transport and constraint of large flat flexible media during processing	250/358.1		Weiss, Adam et al.
US 20050038777 A1	20050217	Querying data in a highly distributed management framework	707/3		Anderson, Eric et al.
US 20050007216 A1	20050113	MOS ESD CDM clamp with integral substrate injection guardring and method for fabrication	333/202	257/E29.026; 257/E29.136	Baldwin, David John et al.
US 20050006226 A1	20050113	System and method for performing sputter etching using independent	204/192.32	204/298.31	Baldwin, David Alan et al.

		ion and electron sources and a substrate biased with an a-symmetric bi-polar DC pulse signal			
US 20040239001 A1	20041202	Method of forming a respiratory conduit	264/255	264/279	Edirisuriya, Deshitha Airawana et al.
US 20040204351 A1	20041014	Soluble proteins that inhibit cytokine signal transduction pathways	514/12		Rowlinson, Scott William et al.
US 20040118401 A1	20040624	Conduit with heated wick	128/204.17	128/203.26	Smith, Daniel John et al.
US 20040099268 A1	20040527	Expiratory limb for a breathing circuit	128/203.16		Smith, Daniel John et al.
US 20040070906 A1	20040415	Synchronous buck and boost regulator power reduction circuit using high side sensing	361/92	361/91.3	Kohout, James A. et al.
US 20040070378 A1	20040415	Low power mode detection circuit for a DC/DC converter	323/282		Baldwin, David J. et al.
US 20040057444 A1	20040325	Loop network hub using loop initialization insertion	370/403		Brewer, David et al.
US 20040056707 A1	20040325	Efficient charge pump capable of high voltage operation	327/536		Pauletti, Timothy P. et al.
US 20040045549 A1	20040311	Conduit with heated wick	128/204.17	128/911	Smith, Daniel John et al.
US 20030236015 A1	20031225	Connector for breathing conduits	439/191		Edirisuriya, Deshitha Airawana et al.
US 20030222628 A1	20031204	AUXILIARY BOUNDARY REGULATOR	323/224		Baldwin, Dave et al.

		THAT PROVIDES ENHANCED TRANSIENT RESPONSE			
US 20030164825 A1	20030904	In-circuit test using scan chains	345/419		Baldwin, David Robert et al.
US 20030164824 A1	20030904	Graphics engine with isochronous context switching	345/419		Parsons, Paul et al.
US 20030164823 A1	20030904	3D graphics accelerator architecture	345/419		Baldwin, David Robert et al.
US 20030149746 A1	20030807	Ensobox: an internet services provider appliance that enables an operator thereof to offer a full range of internet services	709/219		Baldwin, David A. et al.
US 20030111249 A1	20030619	Method of forming a respiratory conduit	174/653		Edirisuriya, Deshitha Airawana et al.
US 20030078996 A1	20030424	EnsoBox clustered services architecture: techniques for enabling the creation of scalable, robust, and industrial strength internet services provider appliance	709/220	714/4	Baldwin, David A.
US 20030074438 A1	20030417	Techniques for enabling an internet services provider to perform office operations and functions	709/224	705/26	Baldwin, David A. et al.
US 20030024807 A1	20030206	System and method for performing thin film deposition or chemical treatment using an energetic flux of neutral	204/192.12	204/192.13; 204/298.03; 204/298.26	Baldwin, David Alan et al.

		reactive molecular fragments, atoms or radicals			
US 20020189938 A1	20021219	System and method for performing sputter deposition with multiple targets using independent ion and electron sources and independent target biasing with DC pulse signals	204/298.03	204/192.12; 204/298.08; 204/298.18; 204/298.26	Baldwin, David Alan et al.
US 20020174832 A1	20021128	System and method for controlling deposition thickness by synchronously varying a sputtering rate of a target with respect to an angular position of a rotating substrate	118/676	118/682; 156/186	Baldwin, David Alan et al.
US 20020155221 A1	20021024	System and method for making thin-film structures using a stepped profile mask	427/272	118/720; 204/192.12; 204/192.13; 204/298.03; 204/298.11; 427/9	Baldwin, David Alan et al.
US 20020131182 A1	20020919	System and method for controlling deposition thickness using a mask with a shadow that varies with respect to a target	359/642	204/192.11; 204/192.13; 204/298.03; 204/298.04	Baldwin, David Alan et al.
US 20020130886 A1	20020919	Antialias mask generation	345/611		Baldwin, David Robert
US 20020130874 A1	20020919	Vector instruction set	345/506		Baldwin, David Robert
US 20020130863 A1	20020919	Tile relative origin for plane equations	345/420		Baldwin, David Robert

US 20020130040 A1	20020919	System and method for performing sputter deposition using a divergent ion beam source and a rotating substrate	204/298.04	204/192.11; 359/885	Baldwin, David Alan et al.
US 20020130031 A1	20020919	SYSTEM AND METHOD FOR PERFORMING SPUTTER DEPOSITION USING A DIVERGENT ION BEAM SOURCE AND A ROTATING SUBSTRATE	204/192.11		Baldwin, David Alan et al.
US 20020126126 A1	20020912	Parameter circular buffers	345/557	345/506	Baldwin, David Robert
US 20020126124 A1	20020912	Planar byte memory organization with linear access	345/533	345/564	Baldwin, David Robert et al.
US 20020118202 A1	20020829	Same tile method	345/530	345/561; 345/629	Baldwin, David Robert
US 20020067738 A1	20020606	Old-port node detection and hub port bypass	370/452	370/403	Su, Sam et al.
US 20020060889 A1	20020523	IC PMOS Schottky reverse bias protection structure	361/23	361/77	Teutsch, Alexander Noam et al.
US 20020060544 A1	20020523	Single wire digital width modulation for fan control with tachometer feedback	318/599		Teutsch, Alexander Noam et al.
US 20020059014 A1	20020516	Sensing head positioning system using two-stage offset air bearings	700/163	700/159	Baldwin, David L. et al.
US 20020030693 A1	20020314	TRIANGLE CLIPPING FOR 3D GRAPHICS	345/620	345/619	BALDWIN, DAVID ROBERT
US	20020110	Conduit with heated	128/203.16	128/203.17;	Smith,

20020002976 A1		wick		128/203.26; 128/911	Daniel John et al.
US 20010054422 A1	20011227	Components for breathing circuits	128/200.24	128/203.16; 128/203.17; 128/203.26; 128/204.16; 128/204.17	Smith, Daniel John et al.
US 20010028657 A1	20011011	Automatic isolation in loops	370/406	370/242	Brewer, David et al.
US 20010004047 A1	20010621	Apparatus for sputter deposition	204/192.11	204/298.04; 204/298.06; 204/298.07; 204/298.08; 204/298.12; 204/298.19	Kahn, James R. et al.
US 7077019 B2	20060718	High precision gas bearing split-axis stage for transport and constraint of large flat flexible media during processing	73/865.8	198/502.3; 414/222.02; 414/222.04	Weiss; Adam et al.
US 7072776 B2	20060704	Method of regulating resistance in a discontinuous time hot-wire anemometer	702/47	702/50; 73/204.14; 73/204.15	Hagan; Tobin D. et al.
US 7064607 B2	20060620	Bias system and method	330/136	330/255; 330/261	Maclean; Kenneth George et al.
US 7061500 B1	20060613	Direct-mapped texture caching with concise tags	345/582	345/588	Baldwin; David Robert
US 7050061 B1	20060523	Autonomous address translation in graphic subsystem	345/552	345/519; 345/531; 345/568; 711/202	Baldwin; David Robert
US 7035206 B2	20060425	Automatic isolation in loops	370/222	370/225; 370/245; 370/463; 370/522; 714/4	Brewer; David et al.
US 7034583	20060425	Versatile system for	327/112		Maclean;

B1		output energy limiting circuitry			Kenneth G. et al.
US 7013725 B1	20060321	System and method for regulating bridge voltage in a discontinuous-time hot-wire anemometer	73/204.15		Hagan; Tobin D. et al.
US 6995483 B2	20060207	Synchronous buck and boost regulator power reduction circuit using high side sensing	307/151	323/271; 323/282; 323/287; 341/144; 363/24	Kohout; James A. et al.
US 6977649 B1	20051220	3D graphics rendering with selective read suspend	345/419		Baldwin; David Robert et al.
US 6969979 B2	20051129	Multiple mode switching regulator having an automatic sensor circuit for power reduction	323/282		Kohout; James A. et al.
US 6953354 B2	20051011	Connector for breathing conduits	439/191	439/352	Edirisuriya; Deshitha Airawana et al.
US 6940131 B2	20050906	MOS ESD CDM clamp with integral substrate injection guardring and method for fabrication	257/355	257/127; 257/170; 257/356; 257/360; 257/409; 257/452; 257/484; 257/605; 257/E29.026; 257/E29.136	Baldwin; David John et al.
US 6900800 B2	20050531	Tile relative origin for plane equations	345/419		Baldwin; David Robert
US 6882899 B2	20050419	Sensing head positioning system using two-stage offset air bearings	700/192	700/302; 700/60	Baldwin; David L. et al.
US 6870164 B1	20050322	Pulsed operation of hall-current ion sources	250/423R		Baldwin; David A. et al.

US 6859020 B2	20050222	Low power mode detection circuit for a DC/DC converter	323/283	323/222; 323/224	Baldwin; David J. et al.
US 6847370 B2	20050125	Planar byte memory organization with linear access	345/564	345/562; 345/565; 345/566; 345/570; 345/571	Baldwin; David Robert et al.
US 6843891 B2	20050118	Apparatus for sputter deposition	204/192.11	204/298.04; 204/298.11; 204/298.12	Kahn; James R. et al.
US 6819871 B1	20041116	Multi-channel optical filter and multiplexer formed from stacks of thin-film layers	398/85	359/634; 398/84; 398/87	Baldwin; David Alan et al.
US 6819332 B2	20041116	Antialias mask generation	345/611	345/612; 345/613; 345/619; 345/626	Baldwin; David Robert
US 6798421 B2	20040928	Same tile method	345/557	345/501	Baldwin; David Robert
US 6791559 B2	20040914	Parameter circular buffers	345/557	345/505; 345/558	Baldwin; David Robert
US 6788303 B2	20040907	Vector instruction set	345/522		Baldwin; David Robert
US 6788130 B2	20040907	Efficient charge pump capable of high voltage operation	327/536	327/537; 363/59	Pauletti; Timothy P. et al.
US 6769431 B2	20040803	Expiratory limit for a breathing circuit	128/203.16	128/203.12; 128/203.17; 128/203.26	Smith; Daniel John et al.
US 6744438 B1	20040601	Texture caching with background preloading	345/552	345/531; 345/557	Baldwin; David Robert
US 6736588 B1	20040518	Integrated large glass handling system	414/676	406/88	Baldwin; David L. et al.
US 6731288 B2	20040504	Graphics engine with isochronous context switching	345/502	345/426; 345/506; 718/108	Parsons; Paul et al.
US 6723209	20040420	System and method	204/192.12	204/298.06;	Baldwin;

B2		for performing thin film deposition or chemical treatment using an energetic flux of neutral reactive molecular fragments, atoms or radicals		204/298.08; 204/298.23; 204/298.28	David Alan et al.
US 6700581 B2	20040302	In-circuit test using scan chains	345/519	345/501; 714/734	Baldwin; David Robert et al.
US 6696861 B1	20040224	Switch mode regulator controller using hybrid technique	326/83	326/27; 326/86	Baldwin; David J. et al.
US 6689255 B2	20040210	System and method for making thin-film structures using a stepped profile mask	204/192.12	118/688; 118/720; 118/721; 204/192.13; 204/298.03; 204/298.11; 204/298.28; 427/282; 427/9	Baldwin; David Alan et al.
US 6683615 B1	20040127	Doubly-virtualized texture memory	345/543	345/532; 345/541; 345/552; 345/557; 345/568; 711/203	Baldwin; David Robert
US 6682634 B1	20040127	Apparatus for sputter deposition	204/192.11	204/298.04; 204/298.07; 204/298.12	Kahn; James R. et al.
US 6679976 B2	20040120	System and method for performing sputter deposition with multiple targets using independent ion and electron sources and independent target biasing with DC pulse signals	204/192.12	204/298.03; 204/298.08; 204/298.11	Baldwin; David Alan et al.
US 6678829 B1	20040113	System and method of regulating the distribution of	713/300	361/103	Teggatz; Ross E. et al.

		power throughout a system through the use of uni-directional and bi-directional switches			
US 6677952 B1	20040113	Texture download DMA controller synching multiple independently-running rasterizers	345/505	345/541; 345/552	Baldwin; David Robert
US 6674621 B2	20040106	IC PMOS Schottky reverse bias protection structure	361/31	361/87; 361/91.5	Teutsch; Alexander Noam et al.
US 6662802 B2	20031216	Conduit with heated wick	128/203.16	128/200.24; 128/203.12	Smith; Daniel John et al.
US 6650333 B1	20031118	Multi-pool texture memory management	345/552	345/531; 345/568; 345/582; 345/587; 711/203; 711/206	Baldwin; David Robert
US 6650100 B1	20031118	Bootstrap technique for a multiple mode switching regulator	323/282		Kohout; James A. et al.
US 6650093 B1	20031118	Auxiliary boundary regulator that provides enhanced transient response	323/224	323/280; 323/281	Baldwin; Dave et al.
US 6610179 B2	20030826	System and method for controlling deposition thickness using a mask with a shadow that varies with respect to a target	204/192.11	204/192.13; 204/298.03; 204/298.04	Baldwin; David Alan et al.
US 6608521 B1	20030819	Pulse width modulation regulator control circuit having precise frequency and amplitude control	330/10	323/268	Baldwin; David J. et al.
US 6587113 B1	20030701	Texture caching with change of	345/557	345/552; 711/136	Baldwin; David

		update rules at line end			Robert et al.
US 6563284 B2	20030513	Single wire digital width modulation for fan control with tachometer feedback	318/599	318/716; 318/798; 318/811	Teutsch; Alexander Noam et al.
US 6496514 B2	20021217	Old-port node detection and hub port bypass	370/452	370/462	Su; Sam et al.
US 6488821 B2	20021203	System and method for performing sputter deposition using a divergent ion beam source and a rotating substrate	204/192.11		Baldwin; David Alan et al.
US 6486740 B1	20021126	Method and system for dynamic compensation	330/292	330/107; 330/294	Baldwin; David J. et al.
US 6419803 B1	20020716	System and method for making thin-film structures using a stepped profile mask	204/192.13	118/688; 118/720; 118/721; 204/192.12; 204/298.03; 204/298.11; 427/282; 427/9	Baldwin; David Alan et al.
US 6419802 B1	20020716	System and method for controlling deposition thickness by synchronously varying a sputtering rate of a target with respect to a position of a rotating substrate	204/192.13	118/665; 118/669; 118/712; 118/715; 118/730; 204/298.03; 204/298.08; 204/298.28; 427/255.5; 427/9	Baldwin; David Alan et al.
US 6402905 B1	20020611	System and method for controlling deposition thickness using a mask with a shadow that varies along a radius of a substrate	204/192.13	118/504; 118/665; 118/669; 118/688; 118/712; 118/715; 204/298.03; 204/298.11;	Baldwin; David Alan et al.

				427/585; 427/9	
US 6402904 B1	20020611	System and method for performing sputter deposition using independent ion and electron sources and a target biased with an a-symmetric bi-polar DC pulse signal	204/192.13	204/192.11; 204/298.03; 204/298.04; 204/298.06; 204/298.08	Baldwin; David Alan et al.
US 6402901 B1	20020611	System and method for performing sputter deposition using a spherical geometry	204/192.11	204/298.04; 204/298.26	Baldwin; David Alan et al.
US 6402900 B1	20020611	System and method for performing sputter deposition using ion sources, targets and a substrate arranged about the faces of a cube	204/192.11	204/298.04; 204/298.26	Baldwin; David Alan et al.
US 6377266 B1	20020423	Bit BLT with multiple graphics processors	345/506	345/536	Baldwin; David Robert
US 6373364 B1	20020416	Electromagnet for thin-film processing with winding pattern for reducing skew	335/296	204/298.16; 335/299	Son; Jeong W. et al.
US 6373343 B1	20020416	Oscillator and method	331/76	331/111; 331/143; 331/60; 331/74	Baldwin; David J. et al.
US D452866 S	20020108	Electronics cabinet face	D14/441		Towheed; Syed S. et al.
US 6324044 B1	20011127	Driver for controller area network	361/119	327/379; 327/546	Teggatz; Ross E. et al.
US 6289002 B1	20010911	Automatic isolation in loops	370/222	370/242; 714/4	Henson; Karl M. et al.
US 6285373	20010904	Method and	345/582	345/424	Baldwin;

B1		apparatus for texture transmission and storage			David Robert et al.
US 6255887 B1	20010703	Variable transconductance current mirror circuit	327/326	323/315; 327/324; 327/543	Adams; Reed W. et al.
US 6253365 B1	20010626	Automated design system for digital circuits	716/18	703/13; 716/2	Baldwin; David P.
US 6226269 B1	20010501	Elimination of invalid data in loop network	370/245	370/252; 714/746	Brewer; David et al.
US 6215775 B1	20010410	Node insertion and removal in a loop network	370/258	370/254	Baldwin; David et al.
US 6201787 B1	20010313	Automatic loop segment failure isolation	370/222	370/225; 370/245; 370/401; 370/463; 370/522; 714/4	Baldwin; David et al.
US 6188668 B1	20010213	Automatic isolation in loops	370/222	370/225; 370/245; 370/463; 370/522; 714/4	Brewer; David et al.
US 6169439 B1	20010102	Current limited power MOSFET device with improved safe operating area	327/309	327/318; 327/427	Teggatz; Ross et al.
US 6169309 B1	20010102	High breakdown-voltage transistor with transient protection	257/328	257/335	Teggatz; Ross E. et al.
US 6154223 A	20001128	Integrated graphics subsystem with message-passing architecture	345/506	345/505; 345/519; 345/531	Baldwin; David Robert
US 6144070 A	20001107	High breakdown-voltage transistor with electrostatic discharge protection	257/343	257/360; 257/361; 257/409; 257/488; 257/492; 257/493;	Devore; Joseph A. et al.

				257/E29.009; 257/E29.197; 257/E29.256	
US 6111737 A	20000829	Internal voltage protection circuit	361/91.1	361/111; 361/18; 361/91.6	Baldwin; David J. et al.
US 6101166 A	20000808	Automatic loop segment failure isolation	370/222	370/225; 370/245; 370/463; 370/522; 714/4	Baldwin; David et al.
US 6089285 A	20000718	Method and system for supplying semiconductor source material	141/231	141/1; 141/129; 141/82; 222/1; 222/146.2; 222/152; 222/160; 222/608; 222/611.1	DeStefano; Mark et al.
US 6078204 A	20000620	High current drain- to-gate clamp/gate- to-source clamp for external power MOS transistors	327/309	327/318; 327/320	Cooper; Chris et al.
US 6025853 A	20000215	Integrated graphics subsystem with message-passing architecture	345/506	345/505; 345/519; 345/531; 528/502A	Baldwin; David Robert
US 6018701 A	20000125	False null prevention in optical delay line calibration	702/85	385/76; 385/88; 398/1; 702/104; 702/119	Baldwin; David L. et al.
US 5943636 A	19990824	Method and apparatus to calibrate and run optical delay devices	702/85	385/76; 385/88; 702/104; 702/119; 714/742	Baldwin; David L. et al.
US 5909135 A	19990601	High-side MOSFET gate protection shunt circuit	327/328	327/110; 327/309; 327/427	Baldwin; David J. et al.
US 5892283 A	19990406	Connection of active circuitry via wire bonding	257/758	257/774; 257/784; 257/786;	Baldwin; David John et al.

		procedure		257/E23.02	
US 5861476 A	19990119	Peptides and compounds that bind to the IL-1 receptor	530/327	530/324; 930/141	Barrett; Ronald W. et al.
US 5835096 A	19981110	Rendering system using 3D texture-processing hardware for accelerated 2D rendering	345/582		Baldwin; David Robert
US 5815166 A	19980929	Graphics subsystem with slaveable rasterizer	345/506	345/520; 345/558	Baldwin; David Robert
US 5813641 A	19980929	Clamp bracket	248/223.41	248/300	Baldwin; David
US 5798770 A	19980825	Graphics rendering system with reconfigurable pipeline sequence	345/506	345/519; 345/545	Baldwin; David Robert
US 5786331 A	19980728	Peptides and compounds that bind to the IL-1 receptor	514/15	514/12; 530/324; 530/327	Barrett; Ronald W. et al.
US 5777629 A	19980707	Graphics subsystem with smart direct-memory-access operation	345/506	345/505; 345/519	Baldwin; David Robert
US 5767234 A	19980616	Peptides and compounds that bind to the IL-1 receptor	530/327	514/14; 514/15	Yanofsky; Stephen D. et al.
US 5764243 A	19980609	Rendering architecture with selectable processing of multi-pixel spans	345/506	345/519; 345/545; 345/626	Baldwin; David Robert
US 5764228 A	19980609	Graphics pre-processing and rendering system	715/797		Baldwin; David Robert
US 5727192 A	19980310	Serial rendering system with auto-synchronization on frame blanking	345/522	345/506; 345/519; 345/531; 345/539	Baldwin; David Robert
US 5701444 A	19971223	Three-dimensional graphics subsystem	345/506	345/519	Baldwin; David

		with enhanced support for graphical user interface			Robert
US 5638851 A	19970617	Modular shelter	135/124	135/116; 135/117; 135/119; 135/138; 135/139; 135/96; 248/519; 248/910; 403/205	Baldwin; David
US 5616179 A	19970401	Process for deposition of diamondlike, electrically conductive and electron-emissive carbon-based films	117/108	117/929; 204/192.11	Baldwin; David A. et al.
US 5608035 A	19970304	Peptides and compounds that bind to the IL-1 receptor	530/324	530/325; 530/326; 530/327; 530/328	Yanofsky; Stephen D. et al.
US 5594854 A	19970114	Graphics subsystem with coarse subpixel correction	345/441	345/501; 345/506	Baldwin; David R. et al.
US 5428754 A	19950627	Computer system with clock shared between processors executing separate instruction streams	712/220	712/30	Baldwin; David R.
US 5329630 A	19940712	System and method using double-buffer preview mode	711/173	711/149; 712/28	Baldwin; David R.
US 5302732 A	19940412	Use of ultra-low sodium silica-aluminas in the alkylation of aromatics	554/98	510/495; 554/89; 554/97; 562/79; 562/82; 562/88; 562/91; 562/94; 562/95; 562/99; 568/631;	Steigleder; Karl Z. et al.

				568/632; 568/658; 568/731; 568/732; 568/734; 568/736; 568/766; 568/780; 568/781; 568/785; 568/790; 585/455; 585/456	
US 5139226 A	19920818	Electro-mechanical fluid control valve	251/129.2	137/625.44; 137/625.65; 251/129.17	Baldwin; David L. et al.
US 5092651 A	19920303	Sliding and tilting sunroof control mechanism	296/223	296/221	Baldwin; David P. et al.
US 5069501 A	19911203	Spoiler sunroof control mechanism	296/223	296/216.03; 296/221; 296/222	Baldwin; David P. et al.
US 5056015 A	19911008	Architectures for serial or parallel loading of writable control store	703/27		Baldwin; David R. et al.
US 5042000 A	19910820	Integral transform method	708/404		Baldwin; David R.
US 4971384 A	19901120	Adjustable cover assembly for an automobile vehicle	296/98	135/88.08; 135/903; 296/136.02	Baldwin; David L.
US 4827413 A	19890502	Modified back-to- front three dimensional reconstruction algorithm	345/421	345/423; 345/441	Baldwin; David R. et al.
US 4797755 A	19890110	System and method for transferring data between a plurality of disks and a memory	360/49	360/48	Baldwin; David R. et al.
US 4733396 A	19880322	Apparatus for detecting and correcting data transfer errors of a magnetic disk	714/764		Baldwin; David R. et al.

		system			
US 4646001 A	19870224	Resistive wear sensors	324/700	188/1.11L; 188/1.11R; 324/542; 324/716; 340/454	Baldwin; David G. et al.
US 4617836 A	19861021	Transmission systems for tracked vehicles	475/28	475/29; 74/665GA	Baldwin; David A.
US 4590559 A	19860520	Data disc system for a computed tomography X-ray scanner	378/14	378/901	Baldwin; David R. et al.
US 4513971 A	19850430	Maze and flexible wand game apparatus	273/153R	273/441	Baldwin; David L.
US 4462110 A	19840724	Digital phase-locked loop	377/43	331/1A; 375/376; 377/104; 377/47; 377/78	Baldwin; David R. et al.
US 4441195 A	19840403	Short term response enhancement for digital phase-locked loop	377/2	327/159; 331/11; 375/376	Baldwin; David R. et al.
US 4435850 A	19840306	Secure fiber optic data transmission system	398/40	340/555; 356/73.1; 398/137; 398/141; 398/154	Bowen; James H. et al.
US 4396991 A	19830802	Long term response enhancement for digital phase-locked loop	327/159	375/376	Baldwin; David R. et al.
US 4360248 A	19821123	Multiport optical communication system and optical star structure therefor	385/46	156/158; 359/900; 385/24; 385/51	Bickel; Gary W. et al.
US 4306313 A	19811215	High reliability optical fiber communication system	398/11	379/22; 398/181; 398/62; 455/8	Baldwin; David L.
US 4252608 A	19810224	Generating end plug potentials in tandem mirror	376/140	376/127	Baldwin; David E. et al.

		plasma confinement by heating thermal particles so as to escape low density end stoppering plasmas			
US 3805883 A	19740423	PROBE FOR GYROMAGNETIC RESONANCE SPECTROSCOPY	165/141		Baldwin; David Michael
US 3791393 A	19740212	TANK CLEANING APPARATUS	134/167R	134/172; 239/751; 239/752	Baldwin; David John
US 3625234 A	19711207	CLEANING OF THE INTERIOR OF STORAGE TANKS	134/167R	239/227	Baldwin; David J.
US 3018206 A	19620123	Fire-resistant decorated composite laminate members and method of producing same [TEXT AVAILABLE IN USOCR DATABASE]	428/443	156/307.4; 156/310; 428/525; 528/145; 528/162	HOOD WILLIAM C et al.
US 2919423 A	19591229	Submarine bottom scanner [TEXT AVAILABLE IN USOCR DATABASE]	367/104	367/113; 367/88	WILLIAMS WILLIAM H et al.
US 2801672 A	19570806	Resinous compositions and fire-resistant laminates prepared therefrom [TEXT AVAILABLE IN USOCR DATABASE]	442/244	156/222; 156/331.3; 156/335; 218/150; 428/475.5; 428/477.4; 428/524; 442/252; 524/389; 528/145; 528/162	RUNK ROBERT H et al.
US 2727831 A	19551220	Method of rendering polystyrene articles	428/515	260/DIG.21; 427/299; 427/400;	DIXON ROBERT R et al.

		static-free and resulting article [TEXT AVAILABLE IN USOCR DATABASE]		428/420; 428/500; 8/DIG.9	
US 2162294 A	19390613	Crochet stand or holder [TEXT AVAILABLE IN USOCR DATABASE]	248/169	242/139; 248/178.1	BALDWIN DAVID E